

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation - CPR) this certificate applies to the construction product

CROSS TIMBER SYSTEMS - CLT

according to the product specification listed in the current addendum to this certificate produced by

Company

CROSS TIMBER SYSTEMS LTD.

Aviacijas street 18

LV-3004 Jelgava

and produced in the manufacturing plant

LV-3004 Jelgava, Aviacijas street 18

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in the ETA

ETA-15/0906 from 24.02.2016

under system 1 being certified for the performances set out in this certificate are applied and that the construction product fulfils all the prescribed requirements for these performances.



Certificate number: 1359-CPR-0708

Date of first issue: 23.01.2017


Date of issuance: 23.01.2017

This certificate will remain valid as long as the ETA is valid and the manufacturing conditions in the plant or the factory production control itself are not modified significantly, unless suspended or withdrawn by the product certification body.

For the validity of this certificate see www.holzforschung.at.



Dr. Andreas Neumüller
Authorised signatory



Dr. Manfred Brandstätter
Head of the Certification Body

Addendum to certificate 1359–CPR-0708

Date of issuance: 23.01.2017

Scope of certification for the following products:

Solid wood slabs to be used as structural elements in building

Structure:	3-, 5- and 7-layer
Thickness:	60 - 260 mm
Width x length	max. 3,15 x 14,0 m
Classes of utilisation:	1 and 2
Wood species:	PCAB - spruce / ABAL - fir PNSY - scots pine
Adhesive (finger joints):	PUR Typ 1 acc. to EN 15425
Adhesive (Bonding of laminations):	PUR Typ 1 acc. to EN 15425